

RS WINDOWS COVER FLOOD BARRIER

Protects the weak points of a facade - the windows



PARTIAL OR FULL CLOSURE OF THE WINDOW

LIGHTWEIGHT AND QUICK ASSEMBLY

LIFELONG PROTECTION

ADVANTAGES



After usage, can be **dismantled and stored in RS Storage System for future use** against various types of flooding situations.



Eliminates leakage compared to other systems, with low rates according to German Norm DIN 19569-4.2000-01 and US-American FM Global certification No. 3053317 (June 20, 2016).



Extremely **resistant to intense flood-water pressure** because of their hollow but high-end honeycomb structure "Made in Germany".



Designed to withstand temperatures below -40°C, strong sunlight, and temperatures up to 80°C.



Can be powder coated with RAL color standard or others.



Extremely durable and can resist blunt forces caused by floating debris as certified by FM Global for certain applications.



God has given us the right company to give us that peace of mind that we cannot get from anywhere.

Priscilla Carpio Homeowner Malolos, Bulacan

TECHNICAL SPECIFICATIONS



LEGEND: MAIN COMPONENTS







A Barrier Panel

Serves as the main component that blocks floods.

Material: Honeycomb aluminium structure. **Quality:** Resistant to high water pressure w/o bending Lightweight hollow structure.

Type: Aluminium Honeycomb / Stainless Steel



(B) Frame

A framework that is permanently installed to quickly install the RS Windows Cover when needed in an emergency.

Material: Frame: Hot-dipped galvanized steel Color: RAL color on request



C Bolt-on Mechanism offers guranteed security.

Material: Stainless steel, Industrial grade, Corrosion resistant



D Sealing

EPDM rubber seal embedded in the supporting framework to eliminate any water leakage.

Material: EPDM Rubber gaskets Made in Germany

APPLICATIONS



Manhole



Window openings



Underground Basement



Air Ventilation



Boiler room



Emergency Door

Quality made in Germany No more standing knee-deep in the mud and shoveling the water out of the room into the street. Rather save your money.





Flood Control Asia RS Corporation

Bldg. 11 C Berthaphil 1 Industrial Park, Jose Abad Santos Avenue, Clark Freeport Zone, Pampanga, Philippines

+63 45 499 0273

+63 988 963 6950 or +63 917 631 4188 www.floodcontrol.asia

f/floodcontrol.asia

support@floodcontrol.asia

floodcontrolasia-rs

